EUROPEAN JOURNAL OF PHARMACOLOGY

Volume 274, Nos. 1–3 CONTENTS 14 February 1995

Cited in: Biological Abstracts – Chemical Abstracts – Current Contents/Life Sciences – Excerpta Medica (EMBASE) – Index Medicus – Pascal M – Reference Update – Unlisted Drugs – Current Awareness in Biological Sciences (CABS)

Regular papers

[^{3}H]BQ-123, a highly specific and reversible radioligand for the endothelin ET_A receptor subtype
M. Ihara, R. Yamanaka, K. Ohwaki, S. Ozaki, T. Fukami, K. Ishikawa, P. Towers and M. Yano 1

β_2-Adrenoceptors mediate a reduction in endothelial permeability in vitro
M.J. Allen and R.A. Coleman 7

Evidence for a role of nitric oxide in the corticotropin-releasing factor release induced by interleukin-1β
C. Sandi and C. Guaza 17

Endothelium-dependent relaxation resistant to N^G-nitro-L-arginine in rat aorta
K. Hatake, I. Wakabayashi and S. Hishida 25

Co-released adrenaline markedly facilitates noradrenaline overflow through prejunctional β_2-adrenoceptors during swimming exercise
R.P. Coppes, J. Smit, L. Benthem, J. Van der Leest and J. Zaagsma 33

2-Hydroxy-saclofen causes a phaclofen-reversible reduction in population spike amplitude in the rat hippocampal slice
S.J. Caddick, I.M. Stanford and J.E. Chad 41

The dopamine receptor agonist 7-OH-DPAT modulates the acquisition and expression of morphine-induced place preference
F.R. De Fonseca, P. Rubio, J.L. Martín-Calderón, S.B. Caine, G.F. Koob and M. Navarro 47

In vitro effects of HOE 140 in human bronchial and vascular tissue
M. Félétou, C.A.E. Martin, M. Molimard, E. Naline, M. Germain, C. Thurieau, J.-L. Fauchère, E. Canet and C. Advenier 57

Effects of TA-0910, a novel orally active thyrotropin-releasing hormone analog, on the gait of ataxic animals
K. Kinoshita, T. Fujitsuka, M. Yamamura and Y. Matsuoka 65

Dose-dependent anticonvulsant and proconvulsant effects of nitric oxide synthase inhibitors on seizure threshold in a cortical stimulation model in rats
C. Rundfeldt, R. Koch, A. Richter, M. Mevissen, U. Gerecke and W. Löscher 73

Anticonvulsant activity of a novel NMDA/glycine site antagonist, MDL 104,653, against kindled and sound-induced seizures
A.G. Chapman, N. Dürmüller, B.L. Harrison, B.M. Baron, N. Parvez and B.S. Meldrum 83

Dynorphin A-(1–13) potently improves scopolamine-induced impairment of passive avoidance response in mice
M. Ukai, T. Kobayashi, N. Shinkai, X. Shan-Wu and T. Kameyama 89

Effect of neurotropin on cerebral edema, calcium and other elements in mice subarachnoidally injected with carrageenan
P. Sprumont, A. Kaelin-Lang, S. Van Lierde, W. Maenhaut and J. De Reuck 95

Collagenase-induced oedema in the rat paw and the kinin system
J.C. Souza Pinto, G. Remacle-Volon, C.A.M. Sampaio and J. Damas 101

Time course of action of amlodipine and felodipine in the rat is most rapid in small arteries
L.M. Videbæk, S. Kvist and M.J. Mulvany 109

α_1-Adrenoceptor responsiveness in the aging aorta
H. Gurdal, G. Cai and M.D. Johnson 117

Mydriasis elicited by imidazol(in)e α_2-adrenomimetics in comparison with other adrenoceptor-mediated effects and hydrophobicity
A. Nasal, T. Frąckowiak, J. Petrusewicz, A. Buciński and R. Kaliszan 125

Effect of *n*-hexacosanol on insulin secretion in the rat
C. Damgé, D. Hillaire-Buys, M. Koenig, R. Gross, A. Hoeltzel, J. Chapal, G. Balboni, J. Borg and G. Ribes 133

Neuroendocrine profile of the potential anxiolytic drug S-20499
A.D. Levy, Q. Li, M. Gustafson and L.D. Van de Kar 141

Effects of two endogenous Na^+,K^+-ATPase inhibitors, marinobufagenin and ouabain, on isolated rat aorta
A.Y. Bagrov, N.I. Roukoyatkina, A.G. Pinaev, R.I. Dmitrieva and O.V. Fedorova 151

The effects of NMDA receptor antagonists at anticonvulsive doses on the performance of rats in the water maze task
A. Ylinen, M. Pitkänen, J. Sirviö, T. Hartikainen, J. Sivenius, E. Koivisto and P.J. Riekkinen, Sr. 159

Discriminative stimulus effects of esteratic local anesthetics in squirrel monkeys
R.S. Mansbach, S.A. Jortani and R.L. Balster 167

Evidence for (+)-cicletanine sulfate as an active natriuretic metabolite of cicletanine in the rat
R.P. Garay, C. Rosati, K. Fanous, M. Allard, E. Morin, D. Lamiable and R. Vistelle 175

contents continued on page 3 of cover

0014-2999(19950214)274:1/3;1-A

Evidence against direct activation of chloride secretion by carbachol in the rat distal colon
D. Strabel and M. Diener 181

Acute effects of glyburide on the regulation of peripheral blood flow in normal humans
E.N. Kosmas, R.D. Levy and S.N.A. Hussain 193

Pharmacological profile of ME3221, a novel angiotensin II receptor antagonist
J. Nagura, S. Yasuda, K. Fujishima, M. Yamamoto, C. Hui, K.-i. Kawano, K. Katano, H. Ogino, M. Hachisu and F. Konno 201

Dissimilarities between cholinergic and dopaminergic turning elicited by nucleus accumbens stimulation in freely moving rats
T. Saigusa, N. Koshikawa, M. Kitamura, K. Mizutani, M. Kobayashi and A.R. Cools 213

Short communications

The 5-HT_{1B} receptor mediates the effect of *d*-fenfluramine on eating caused by intra-hypothalamic injection of neuropeptide Y
G. Grignaschi, F. Sironi and R. Samanin 221

A hypotensive response induced by des-Arg^9-bradykinin in young Brown / Norway rats pretreated with endotoxin
T. Tokumasu, A. Ueno and S. Oh-ishi 225

Beneficial effects of co-administration of catechol-*O*-methyltransferase inhibitors and L-dihydroxyphenylalanine in rat models of depression
P.T. Männistö, A. Lang, P. Rauhala and E. Vasar 229

Acknowledgement to reviewers 235

Author index 249

Keyword index 253